Mounting Option 08-#4-40 Unified Threaded Inserts

Contact Detail


540-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.560(14.22) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

ORIGINAL





See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**



	EDAC INC
	TORONTO, ONTARIO
	CANADA
YOUR CONNECTION TO	QUALITY & SERVICE

EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.		337 ENG MASTER		
DRAWN:	J.LEE	DATE: OCT. 06/09		
CHECKED:		DATE:		
SCALE:	NTS	SHEET	1 OF 3	
DRAWING	NUMBER		ISSUE	
3	37 Assembly		1	

0.160 [4.06] Point of Contact Card Slot

0.330 [8.38]



ISSUE NUMBER

ORIGINAL

1



337 / 387 Series Card Edge Connector Contact Bend Detail		ACAD REFERENCE NO.	337 ENG MASTER	
		DRAWN: J.LEE	DATE: OCT. 06/09	
		CHECKED:	DATE:	
EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: NTS	SHEET	2 OF 3
		DRAWING NUMBER		ISSUE
		337 Assembly		1

