

28336 PVC-PLC 12,7X31 CY

Device and installation marker

Business data

Article number	28336
Article name	PVC-PLC 12,7X31 CY
GTIN (EAN)	4044211212896
Packaging unit	210
Quantity unit	PC
Number of markers per card	21 ST
Weight per piece (not including packaging)	0.35 g
Weight per piece (including packaging)	0.35 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Product description	Device and installation marker

28336 PVC-PLC 12,7X31 CY

Technical data

Dimensions

Length	31 mm
Width	12.7 mm
Thickness	0.3 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0, V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Silicone-free	✓ ✓

Further technical data

Software code	900
---------------	-----

Media

28336 PVC-PLC 12,7X31 CY

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST