


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY			
CC				C.B	DATE: JAN. 01/20	19	
			CHECKED:		DATE:		
EDAC	EDAC INC	ONTARIO SHALL NOT BE REPRODUCED, OR COPIED	SCALE:	(IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-7W2-24		-240-5T6	ISSUE	
YOUR CONNECTION TO QUA	YOUR CONNECTION TO QUALITY & SERVICE		PART NUM	IBER: 630-7W2	-240-5T6	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

24W7 Male/Female




ISSUE NUMBER

 $\overline{(1)}$

5W5 Male


5W5 Female

COMPLIANT





PCB EDGE

8W8 Male




PCB EDGE







27W2 Male/Female



21W1 Male/Female





	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY			
				DATE: JAN. 01/20	19		
			CHECKED:	DATE:			
EDACIN	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4		
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-7W	2-240-5T6	ISSUE		
YOUR CONNECTION	TO QUALITY & SERVICE		PART NUMBER: 630-7W	2-240-5T6	1		



PCB EDGE


8W8 Female





CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



7W2 Male/Female

21W4 Male/Female

POB EDGE

PCB EDGE


11W1 Male/Female


17W2 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.


















13W3 Male





25W3 Male






PCB EDGE

PCB EDGE


31.75

24,77

36W4 Female



13W6 Male





22.18

2.77

20.78

20.70

13.72

PCB EDGE

13W6 Female

13W3 Female

.X ±0.25 ±0.13

.XX .XXX ±0.05

43W2 Female




17W5 Male







COMBINATION D-SUB









PCB EDGE



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA D QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

SW REFERENCE NO.: 630 COMBO ASSEMBLY			
DRAWN: C.B	DATE: JAN. 01/2019		
CHECKED:	DATE:		
SCALE: N.T.S	SHEET 4 OF 4		
DRAWING NUMBER: 630-7W2-	-240-5T6 ISSUE		
PART NUMBER: 630-7W2-	-240-5T6 ¹		